	Type	Hits	Search Text	DBs
31	BRS	18	(((DBMS same database) and (database near2 trigger)) and (updat\$ or insert) and (notification with database)) and (database with (state or event or message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	144	(DBMS same database) and (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	61	((DBMS same database) and (managed near2 object)) and (state with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	50	((DBMS same database) and (managed near2 object)) and (state with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	32	((DBMS same database) and (managed near2 object)) and (state with database) and notification and (conver\$ with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	39	((DBMS same database) and (managed near2 object)) and notification and (conver\$ with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	42	((DBMS same database) and (managed near2 object)) and (state with database) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	21	(event near2 notification) with (managed near2 object)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	((event near2 notification) with (managed near2 object)) and (notification near2 interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	3	((event near2 notification) with (managed near2 object)) and (convert\$ near3 protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	(notification near2 interface) with (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	83	(object with (notification near2 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	(providing with (notification near2 interface)) same (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	7	(providing with (notification near2 interface)) with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	1	(DBMS same database) and ((convert\$ near2 protocol) with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	26	(DBMS same database) and ((convert\$ near2 protocol)) and (database near2 transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	42	(DBMS same database) and ((convert\$ near2 protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	27	((DBMS same database) and ((convert\$ near2 protocol))) and ((tranfer\$ or transmit\$) same database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	24	((DBMS same database) and ((convert\$ near2 protocol))) and ((tranfer\$ or transmit\$) same database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	2	(convert\$ near2 protocol) same DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	2	((convert\$ near2 protocol) and DBMS) and (extend\$ with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	52	(convert\$ near2 protocol) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1	6363421.pn. and (convert\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	(convert\$ near2 portocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	30	((convert\$ near2 protocol) same database) and (updat\$ with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	12	(((convert\$ near2 protocol) same database) and (updat\$ with database)) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	140	(convert\$ near2 protocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	5902		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	300	Jenkins.in.	US-PGPUB
60	BRS	300	Jenkins.in.	US-PGPUB
61	BRS	0	Jenkins.in. and 2002/0188499	US-PGPUB
	•	·	·	

Type	Hits	Search Text	DBs
BRS	212	Jenkins.in. and "2002"	US-PGPUB
BRS	0	Jenkins.in. and 2002/0188499	US-PGPUB
BRS		Jenkins.in. and "2002"	US-PGPUB
	3		US-PGPUB
	0	<u> </u>	US-PGPUB
BRS	0	6236996.pn. and notification	US-PGPUB
BRS	2	6236996.pn. and notification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
BRS	5	DBMS same (change near2 notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
BRS	4	((convert\$ near2 protocol) same database) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	1	((convert\$ near2 protocol) same database) and DBMS and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	10	((convert\$ near2 protocol) same database) and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	140	(convert\$ near2 protocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	14	((convert\$ near2 protocol) same database) and (XML or HTML)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	0	((convert\$ near2 protocol) same database) and ((XML or HTML) same protocal)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	13	((convert\$ near2 protocol) same database) and ((XML or HTML) same protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	316	(convert\$ near3 URL) with URL	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	6	((convert\$ near3 URL) with URL) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	13	((convert\$ near3 URL) with URL) same transfer\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	10	((convert\$ near2 protocol) same database) and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	7	((convert\$ near2 protocol) same database) and 707/\$.ccls. and (conver\$ with server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	0	5848415.pn. and (conver\$ near2 protocal)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	1	5848415.pn. and (conver\$ near3 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	2	6236996.pn. and (notification with event)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	0	(control near2 interface) same (extending near2 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	0	(module with ((extending near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	2	(((extending near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	25	(((extend\$ near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	0	6236996.pn. and extend\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	1	6236996.pn. and exten\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	1	6236996.pn. and insert	USPAT; EPO; JPO; DERWENT; IBM_TDB
BRS	1178	database with extended	USPAT; EPO; JPO; DERWENT; IBM_TDB
·			
	BRS	BRS 212 BRS 212 BRS 3 BRS 0 BRS 0 BRS 0 BRS 0 BRS 1 BRS 1 BRS 140 BRS 14 BRS 13 BRS 13 BRS 10 BRS 10 BRS 1 BRS 10 BRS 10 BRS 1 BRS 0 BRS 1 BRS 0 BRS 0 BRS 0 BRS 2 BRS 2 BRS 0 BRS 1 BRS 1 BRS 1 BRS 1 BRS 1 BRS 1 BRS 1	BRS 212 Jenkins.in. and "2002" BRS 0 Jenkins.in. and "2002" BRS 212 Jenkins.in. and "2002" and 705/10 BRS 3 Jenkins.in. and "2002" and 705/10 BRS 0 6236996.pn. and notify BRS 0 6236996.pn. and notify BRS 2 6236996.pn. and notification BRS 5 DBMS same (change near2 notification) BRS 4 ((convert\$ near2 protocol) same database) and DBMS BRS 1 ((convert\$ near2 protocol) same database) and DBMS and 707/\$.ccls. BRS 10 ((convert\$ near2 protocol) same database) and (XML or HTML) BRS 14 ((convert\$ near2 protocol) same database) and (XML or HTML) BRS 14 ((convert\$ near2 protocol) same database) and (XML or HTML) BRS 13 ((convert\$ near2 protocol) same database) and (XML or HTML) BRS 316 (convert\$ near2 protocol) same database) and (XML or HTML) same protocol BRS 316 (convert\$ near3 URL) with URL) and DBMS BRS 13 ((convert\$ near3 URL) with URL) and DBMS

	T =	1		
<u> </u>	Туре	Hits	Search Text	DBs
94	BRS	0	(session with (database near3 extended))	USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	61	(database near3 extended) same operations	USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	14	((database near3 extended) same operations) and session	USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	10/075642.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	10/075,642.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	1	10/075,642	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1	10/075,642 and extend\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	1	10/075,642 and transactions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	1	10/075,642 and (operations with transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	3174	(operations with transaction) same users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	59	((operations with transaction) same users) and (database with extended)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	33	((operations with transaction) same users) and (database with extended) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	BRS	33	((operations with transaction) same users) and (database with extended) and session	USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	0	(extending near2 transaction) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	(extending near3 transaction) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	1	(extending near3 operation) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	1	(extending near3 transaction) same DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	2086	extend\$ with database	USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	346	(extend\$ with database) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	94	(extend\$ with database) and session and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	49	(extend\$ with database) and session and DBMS and (operations same transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	6	(extend\$ with database) and session and DBMS and ((operations same transaction) same parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	1	6236996.pn. and (user near2 application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
117	BRS	2003	(control near2 (interface or module)) with extend\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
118	BRS	6	(((control near2 (interface or module)) with extend\$) and DBMS and session	
119	BRS	96	DBMS and (module near3 extend\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	BRS	1	DBMS same (module near3 extend\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	BRS	75	DBMS and (module near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	19	(DBMS and (module near3 extend\$)) and (group near2 access)	USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	6	DBMS and ((module near3 extend\$) same access)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
124	BRS	0	DBMS and ((control near2 interface) near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	75	DBMS and (module near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	0	DBMS and (module with (extending near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	0	DBMS and (module with (extend\$ near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	20	DBMS and (module same (extend\$ near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	37	DBMS and (extend\$ near2 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	477	(extend\$ near3 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	31	((extend\$ near3 transaction)) and (control near2 module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	13	((extend\$ near3 transaction)) and (control near2 module) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	258	DBMS and (function with extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	1	DBMS and ((function with extend\$) with transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	5	(extending with transaction) same operation and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
136	BRS	9	DBMS and (extending near3 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
137	BRS	210	extended near2 transaction	USPAT; EPO; JPO; DERWENT; IBM_TDB
138	BRS	3	(extended near2 transaction) and (updating near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB